


### Acoustic Performance

Absorption Range:  
250 Hz to 8000 Hz | NRC 0,8  
Acoustic Class:  
Class B




SweetSpot One

## Acoustic POD



Open Office - SweetSpot One

## Acoustic POD SweetSpot One



SweetSpot One  
1014 x 1172 x 2115mm

## Acoustic POD SweetSpot One

Our pods are high-performance soundproofed workstations, designed to create an intimate and personal space in a shared workplace. The perfect solution for work environments in open spaces, in which the high noise level drastically interferes with productivity.

These booths feature extraordinary sound insulation, due to their multiple layers and the use of high-performance, environmentally-friendly materials. The SweetSpot pod is equipped with an efficient LED lighting, a built-in power socket with one Schuko and two USB charging ports, desk and adjustable height seating, available in a natural wood finish, with two options of two detailing finishes.



Floor Screen



Desk fix & Free Standing


**Acoustic Performance**  
Absorption Range:  
250 Hz to 8000 Hz | NRC 0,65  
Acoustic Class:  
Class C

## Kasual Line




Open Office - Kasual Line


**Dividers**  
Kasual Line




**Desk Fix**  
LATERAL  
Width: 600 / 700mm  
Height: 550mm  
Thickness: 30mm



**Desk Fix**  
FRONTAL  
Width: 1200 / 1400 / 1600 / 1800mm  
Height: 550mm  
Thickness: 30mm



**Free Standing**  
LATERAL  
Width: 600 / 700mm  
Base Width: 650 / 750mm  
Height: 450mm  
Thickness: 30mm



**Desk Fix**  
FRONTAL  
Width: 1200 / 1400 / 1600 / 1800mm  
Base Width: 1300 / 1500 / 1700 / 1900mm  
Height: 450mm  
Thickness: 30mm



**Floor Screen**  
Width: 600 / 800mm  
Height: 1200 / 1500mm  
Thickness: 30mm

**Dividers**  
Kasual Line

Workspaces as we know them are changing. However, a dynamic collaborative environment can be distracting, affect our productivity and even our health. Quietly dividers are designed to create a sense of visual and acoustic privacy in a shared open-plan office while adding to the overall acoustic quality.

The Kasual range is crafted from recycled PET, available in a large array of sizes to fit any workstation. The divider simply clamps to the edge of your table, and is very quickly set up or reconfigured.



Desk Fix & Free Standing



Floor Screen

### Acoustic Performance


Absorption Range:  
250 Hz to 8000 Hz | NRC 0,8  
Acoustic Class:  
Class B

## Keen Line



Open Office - Keen Line


# Dividers Keen Line



### Desk Fix & Desk Fix | Acrylic Guard

LATERAL


Width: 600 / 700mm  
Height: 550mm | 700mm  
Acrylic Guard Height: 150mm  
Thickness: 24mm



### Desk Fix & Desk Fix | Acrylic Guard

FRONTAL


Width: 1200 / 1400 / 1600 / 1800mm  
Height: 550mm | 700mm  
Acrylic Guard Height: 150mm  
Thickness: 24mm



### Free Standing & Free Standing | Acrylic Guard

LATERAL


Width: 600 / 700mm  
Base Width: 650 / 750mm  
Height: 450mm | 600mm  
Acrylic Guard Height: 150mm  
Thickness: 24mm



### Free Standing & Free Standing | Acrylic Guard

FRONTAL

Width: 1200 / 1400 / 1600 / 1800mm  
Base Width: 1300 / 1500 / 1700 / 1900mm  
Height: 600 mm  
Acrylic Guard Height: 150mm  
Thickness: 24mm



### Floor Screen & Floor Screen | Acrylic Guard

Width: 600 / 800mm  
Height: 1200 / 1500mm | 1350 / 1650mm  
Acrylic Guard Height: 150mm  
Thickness: 24mm

## Dividers Keen Line

Workspaces as we know them are changing. However, a dynamic collaborative environment can be distracting, affect our productivity and even our health.

Kuietly dividers are designed to create a sense of visual and acoustic privacy in a shared open-plan office, while adding to the overall acoustic quality.

The Keen range is manufactured from Baltic Birch Plywood, finished with a blend of natural wax and oil, available in a large array of sizes to fit any workstation. The divider simply clamps to the edge of your table, and is very quickly set up or reconfigured.



Floor Screen  
Desk Fix & Free Standing



Desk Fix

### Acoustic Performance

Absorption Range:  
250 Hz to 8000 Hz | NRC 0,7  
Acoustic Class:  
Class C




## Klever Line



Open Office - Klever Line


## Dividers Klever Line



### Desk Fix & Desk Fix | Acrylic Guard

LATERAL


Width: 600 / 700mm  
Height: 550mm | 700mm  
Acrylic Guard Height: 150mm  
Thickness: 28mm



### Desk Fix & Desk Fix | Acrylic Guard

FRONTAL


Width: 1200 / 1400 / 1600 / 1800mm  
Height: 550mm | 700mm  
Acrylic Guard Height: 150mm  
Thickness: 28mm



### Free Standing & Free Standing | Acrylic Guard

LATERAL


Width: 600 / 700mm  
Base Width: 650 / 750mm  
Height: 450mm | 600mm  
Acrylic Guard Height: 150mm  
Thickness: 28mm



### Free Standing & Free Standing | Acrylic Guard

FRONTAL

Width: 1200 / 1400 / 1600 / 1800mm  
Base Width: 1300 / 1500 / 1700 / 1900mm  
Height: 450mm | 600mm  
Acrylic Guard Height: 150mm  
Thickness: 28mm



### Floor Screen & Floor Screen | Acrylic Guard

Width: 600 / 800mm  
Height: 1200 / 1500mm | 1350 / 1650mm  
Acrylic Guard Height: 150mm  
Thickness: 28mm

## Dividers Klever Line

Workspaces as we know them are changing. However, a dynamic collaborative environment can be distracting, affect our productivity and even our health.

Kuietly dividers are designed to create a sense of visual and acoustic privacy in a shared open-plan office, while adding to the overall acoustic quality.

The Klever range is covered in fabric or faux leather for easy cleaning, available in a large array of sizes to fit any workstation. The divider simply clamps to the edge of your table, and is very quickly set up or reconfigured.



Argu Baffle

## Baffle

### Acoustic Performance


Absorption Range:  
125 Hz to 8000 Hz | NRC 0,7  
Acoustic Class:  
Class B



Open Office - Argu Baffle



## Suspended Panels Argu Baffle



**Argu Baffle**

1190 x 595 x 30mm

## Suspended Panels Argu Baffle

Open, collaborative workspaces are here to stay.

The need for acoustic treatment in office environments is crucial, as it allows us to reduce noise and ensure better speech intelligibility, boosting worker comfort and efficiency.

The Argu Baffle is a fabric absorber ideal for open offices and large spaces with high reverberation times. It is made from non-woven recycled PET which is moulded into a stylish baffle unit. Argu is easy to install with the included kit for ceiling suspension and is available in a variety of quality fabric finishes.



Aura Print Cloud Double SQR



Aura Print Cloud Double SQR

### Acoustic Performance

Absorption Range:  
125 Hz to 8000 Hz | NRC 0,75  
Acoustic Class:  
Class B




Aura F CIR

## Cloud




Open Office - Cloud Aura Print CIR

**Suspended Panels**  
Aura Cloud



**Aura Print CIR & Aura F CIR**  
Ø 1150 x 40mm



**Aura Print Double SQR & Aura F Double SQR**  
1150 x 1150 x 40mm

**Suspended Panels**  
Aura Cloud CIR  
Aura Cloud Double SQR

Aura Cloud is a lightweight acoustic panel with impressive performance. Equipped with a height-adjustable hanging system, giving you effortless and fast installation. This Cloud is a perfect choice for large open environments that need broadband reverberation time control.

Aura Cloud is available in a selection of printed and fabric finishes that make it a versatile solution, adaptable to any space.



Material Texture - Marble


### Acoustic Performance

Absorption Range:  
500 Hz to 8000 Hz | NRC 0,8  
Acoustic Class:  
Class E

## Wallpaper




Meeting Room - Material Texture - Wood Planks




**Concrete**  
595 x 1190 x 12mm



**Marble**  
1190 x 1190 x 12mm



**Wood Planks**  
198 x 1190 x 12mm



**Brick**  
297 x 1190 x 12mm

## Wallpaper Printed recycled PET

Coworking spaces are designed to boost collaboration and creativity. But a hectic, noisy environment can also be very distracting and have an impact on our stress levels, productivity, and even our health.

The Acoustic Wallpaper line is made entirely from recycled PET, and is designed for wall-to-wall coverage, elegantly mimicking materials with a high-definition printed finish.



Myriad & Myriad Dimi

### Acoustic Performance

Myriad  
Absorption Range:  
250 Hz to 8000 Hz | NRC 0,75  
Acoustic Class:  
Class B

Altay  
Absorption Range:  
500 Hz to 4000 Hz | NRC 0,30  
Acoustic Class:  
Class D



Altay

### Acoustic Performance

Tejo  
Absorption Range:  
125 Hz to 4000 Hz | NRC 0,65  
Acoustic Class:  
Class C




Tejo

## Acoustic Panels



Open Office - Myriad & Myriad Dimi


## Acoustic Panels



**Altay**  
595 x 595 x 15mm



**Myriad Absorber**  
257 x 257 x 20 / 40mm



**Myriad Dimi Absorber**  
555 x 257 x 20 / 40mm



**Tejo**  
595 x 595 x 77mm

## Acoustic Panels Recycled PET

Open-plan workspaces have come to stay. But a busy and exhilarating collaborative environment can also be very distracting and have an impact on our stress levels, productivity, and even our health.

These acoustic panels are made from recycled PET, equipped in a range of premium fabric finishes, designed to reduce excessive reverberation and improve speech intelligibility in office environments.

